

Message

From: Cohen, Eric [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=545800040A904D3E9CCFA22400B0F5FA-EOCOHEN]
Sent: 6/13/2018 9:50:10 PM
To: Aburano, Douglas [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=5058d128e7854b4895441ff23c8f6c01-DAburano]; Nelson, Leverett [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=2229a07c2cb442b182332d9dcc325f13-LNelson]; Tennenbaum, Susan [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=de2d44897c8c4b22a02b750372239462-STennenb]
Subject: RE: Wisconsin 2019 Air Monitoring Network Plan and SIP Waiver

Thanks Doug

From: Aburano, Douglas
Sent: Wednesday, June 13, 2018 9:41 AM
To: Nelson, Leverett <nelson.leverett@epa.gov>; Cohen, Eric <cohen.eric@epa.gov>; Tennenbaum, Susan <Tennenbaum.Susan@epa.gov>
Subject: FW: Wisconsin 2019 Air Monitoring Network Plan and SIP Waiver

Hey ORCers,

I don't know if these were ever circulated your way.

Deliberative Process & Attorney Client / Ex. 5

Deliberative Process & Attorney Client / Ex. 5

Doug

From: Praedel, Katie - DNR [<mailto:Katie.Praedel@wisconsin.gov>]
Sent: Thursday, June 07, 2018 9:12 PM
To: Nam, Ed <nam.ed@epa.gov>; Compher, Michael <compher.michael@epa.gov>; Aburano, Douglas <aburano.douglas@epa.gov>; Gail Good <gail.good@wisconsin.gov>
Cc: Bizot, David A - DNR <David.Bizot@wisconsin.gov>; Jutrzonka, Amanda K - DNR <Amanda.Jutrzonka@wisconsin.gov>; Grant.Hetherington@Wisconsin.gov; Sponseller, Bart A - DNR <bart.sponseller@wisconsin.gov>; Bonar-Bridges, James I - DNR <james.bonarbridges@wisconsin.gov>; Mooney, John <Mooney.John@epa.gov>
Subject: Wisconsin 2019 Air Monitoring Network Plan and SIP Waiver

Hello,

Attached are the finalized documents associated with the Wisconsin's 2019 Air Monitoring Network Plan. The plan was released for public comment on June 1, 2018 and a public meeting was held on June 16, 2018.

Wisconsin 2017 Act 159 required a request for a waiver of all SIP requirements that may be implicated by discontinuing the use of the Kohler-Andrae monitor, that is also attached.

Thank you,

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Katie Praedel
 Section Chief – Air Monitoring

Wisconsin Department of Natural Resources

Phone: 608-266-1058

Cell Phone: 608-259-6108

Katie.Praedel@Wisconsin.gov



dnr.wi.gov

